



INTRAORAL SCANNER

High Technology
Intraoral Scanner

No Licence
Fees

No Calibration
Needed

User Friendly
Interface

Open System
Compatibility


Autoclavable
Scanning Tips



Beijing Weijiahua Dentistry Equipment Co.,Ltd
Tel/WhatsApp: +86-15801565064
E-mail: service@yipangdental.com
Website: www.yipangdental.com

CE FDA LISTED

BEYOND THE LIMITS



SMART DIAGNOSIS POWERED BY AI



Model Builder

Automatically generates solid model from digital impression data



Orthodontic Simulator

Intelligently visualizes the estimated results of multiple treatment options, displaying up to 2 solutions at one time



Smile Simulator

The AI-driven future smile simulation visualizes the treatment result with simply just one photo of the patient

STANDARD



Oral Health Report

Significantly facilitates doctor-patient communication with intuitive and straightforward report

INTUITIVE REPORT



ADVANCED DIGITAL TOOLS



Measurement Tools

Make reliable measurements on your digital files



Working Area Selection

Increases mesh density once optimization is finished



Locking Tool

To protect the data of the area in case of rescanning




Island Delete

Identifies and deletes the isolated data and area with a single click



Direct connection to cloud with one click




Undercut Analysis

Ensures the best fit for your restoration



Occlusion Analysis

Allows contact points observation and measurement in mm



2D Section Measurement

Enables accurate visualization of the restoration-occlusion distance, accelerating the clinical clearance



Smart Filter

Automatically identifies and filters out unnecessary data such as gloves, tongue, lips, oral mucosa, and so forth



Open System

Maximum Flexibility

Cloud-Based Storage

Model	Parameters
Accuracy Single Crown	8 μ m($\pm$ 1.1 μ m)
Anti-Fog Technology	Built-in Automatic Heating Fan
Output Format	STL / PLY / OBJ
Scan speed	<25s(single arch)
Scan depth	23mm
Cable Length	2 m
Data Transmission	USB 3.0
Scanning Tip Size	Standard: 95.3mmx22.5mmx16.6mm Pediatric: 94mmx17.9mmx13.2mm
Scanning Tips	Standard *3/Pediatric *1Autoclavable 134°C in 4 mins, 100-150 times
Weight	$\leq$ 240 g
Scanner Size	240mm(L)x45mm(w)x36mm(H)
Sensor	High Speed CMOS
Operating System Requirements	i7-13700HX 2.10GHZNVIDIA GeForce RTX 4060 6G32G 1TB SSD / Window 11 64bitResolution 1920*1080 /USB-Type 3.2 Gen 1